


# INSTALLATION INSTRUCTIONS

## LEGGIO SLIM



### MAIN FEATURES

Screen dimension: up to 43"

Max supported weight: 40 Kg

VESA: 100x100, 200x200

REL 2025 – document code IST09285

# SAFETY INSTRUCTION

## WARNING

A correct mounting is extremely important and this is not the responsibility of OMB srl. Faulty mounting may result in injury to persons or damage to equipment. OMB will not be responsible in any way if the product has been mounted incorrectly. Mounting fittings are not included with the product for reasons of safety, since the properties and bearing strength of floor are specific for each case. Suitable mounting fittings must be selected based on the material of the floor. Obtain advice from a specialist in the field or from a specialist shop concerning the choice of mounting fittings. It is the responsibility of the installer to ensure that the floor can support at least four times the combined weight of the screen and totem. The maximum load for this product is given in the table in these installation instructions. The instructions for installation and use of the screen must also be followed with respect to the location and attachment of the screen.

## WARRANTY TERMS AND CONDITIONS

OMB guarantees that a product that OMB has determined to be defective as a result of deficient manufacture or material will be repaired or – if necessary – replaced, without cost, on condition that a claim is made within the period of warranty, which is 5 years. The guarantee does not apply for normal wear and tear.

In the event of a claim being made under the terms of the warranty, the product and the original purchase receipt are to be returned to OMB. The name of the supplier and the date of purchase must be clearly legible on the receipt. The owner is to pay the cost of returning the product to OMB, while OMB is to pay the cost of returning the product subsequently to the owner.

The warranty provided by OMB does not apply under the following conditions:

- If the product has been drilled, mounted and/or used in any way that is not in accordance with the instructions for use, or if it has been mounted using inappropriate mounting fittings.
- If the product has been modified or repaired by anyone other than OMB.
- If the defect has arisen as a result of external factors (that are not associated with the product), such as lightning strike, water damage, fire, mechanical scratching, storage at extreme temperatures, weather conditions, solvents or corrosive agents, faulty use, or carelessness.
- If the product has been used for equipment other than that specified on the Installation Instruction.

## TRANSPORT AND ASSEMBLY OF LEGGIO SLIM

LEGGIO SLIM is supplied disassembled, therefore you need to assemble the product before mounting the screen.

Two people are required for assembly process.


Since the weight of the product is about 60 kg, the lifting and the transport should be done with a forklift or similar equipment, or carried by two people simultaneously.

# ASSEMBLY PROCESS

## STEP 1

Assemble the main column (A) to the base (B) using 4x screws M8x30 (C)


AFTER THE STEP 1, YOU HAVE THE OPTION TO MOUNT THE SCREEN DIRECTLY ON THE VESA PLATE, OR MOUNT THE VESA PLATE ON AN ENCLOSURE WITH GLASS (model THE WALL INDOOR 32 or 43), IN THIS CASE MOVE TO STEP 5



## FIX THE SCREEN DIRECTLY TO THE VESA PLATE


### STEP 2

Fix the VESA plate (D) to your screen (E) using the appropriate screws



### STEP 3


Fix screen with VESA plate to the main column using the 4x screws M6x25



# ASSEMBLY PROCESS

## STEP 4


Assemble the cover (F) to main column (A) using 6x screws M6x25



**FIX THE SCREEN ENCLOSURE WITH GLASS (for 32": option order code 09252; for 43" option order code 09253) DIRECTLY TO THE VESA PLATE**


## STEP 5

Fix the VESA plate (D) to the screen enclosure (D) using 4x appropriate screws.  
Please do not install the screen at this stage. The screen must be mount at the end of process.



## STEP 6


Fix screen with VESA plate to the main column using the 4x screws M6x25



# ASSEMBLY PROCESS

## STEP 7


Assemble the cover (F) to main column (A) using 6x screws M6x25




## STEP 8

Please check installation instruction of cod 09252/09253 to check how to mount screen inside the enclosure

Drawing LEGGIO SLIM (cod 09285) with THE WALL INDOOR 43 (cod 09253)



Drawing LEGGIO SLIM (cod 09285) with THE WALL INDOOR 32 (cod 09252)



OMB srl | via Risorgimento 25 | 38070 Stenico (TN)  
Tel. +39.0464.771036 | [info@ombitaly.it](mailto:info@ombitaly.it) | [www.ombitaly.it](http://www.ombitaly.it)